
### Ash Room





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

 $\mathsf{TV} \ = \ \mathsf{T.} \ \mathsf{V.} \ \mathsf{Socket}$ 

**L/S** = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Ash Room

Room plan: Theatre Capacity: 24 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Ash Room

Room plan: Boardroom Capacity: 24 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Ash Room

Room plan: U-Shape Capacity: 18 people







**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Ash Room

Room plan: Classroom Capacity: 18 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Ash Room

Room plan: Cabaret Capacity: 24 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

### Ash Room

Room plan: Rounds for dinner

Capacity: 20 people





KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

I = ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Ash Room

Room plan: Oval Capacity: 22 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

### **Ash Room**

Room plan: Stand-up reception

Capacity: 36 people





KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.