
### **Heather Room**





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

 $\mathsf{TV} \ = \ \mathsf{T.} \ \mathsf{V.} \ \mathsf{Socket}$ 

**L/S** = Light Switch

C L = Chandelier / Ceiling light


= Screen

A/C = Heating / Aircon

### **Heather Room**

Room plan: Theatre Capacity: 40 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

I = ISDN line

 $\mathsf{TV} = \mathsf{T.} \mathsf{V.} \mathsf{Socket}$ 

L/S = Light Switch

C L = Chandelier / Ceiling light


= Screen

A/C = Heating / Aircon

### **Heather Room**

Room plan: Boardroom Capacity: 18 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

= Phone Point

= ISDN line

TV = T. V. Socket **L/S** = Light Switch

C L = Chandelier / Ceiling light


= Screen A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### **Heather Room**

Room plan: U-shape Capacity: 20 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

P = Phone Point

= ISDN line

 $\mathsf{TV} = \mathsf{T.} \mathsf{V.} \mathsf{Socket}$ 

L/S = Light Switch

Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

ati ca

### **Heather Room**

Room plan: Classroom Capacity: 24 people





#### KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

 $\mathsf{TV} \ = \ \mathsf{T.} \ \mathsf{V.} \ \mathsf{Socket}$ 

**L/S** = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### **Heather Room**

Room plan: Cabaret Capacity: 20 people





KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket

**L/S** = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon